(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date 15 February 2001 (15.02.2001)

PCT

(10) International Publication Number WO 01/10215 A1

- (51) International Patent Classification?: A01N 37/16, A61L 2/03, 2/18, C07C 409/26, C25B 3/00
- (21) International Application Number: PCT/US00/21279
- (22) International Filing Date: 2 August 2000 (02.08.2000)
- (25) Filing Language:

English

(26) Publication Language:

English

- (30) Priority Data: 60/147,327
- 5 August 1999 (05.08.1999) US
- (71) Applicant: STERIS INC. [US/US]; 43425 Business Park Drive, Temecula, CA 92590 (US).
- (72) Inventors: MERK, Tom, L.; 7851 Brichwood Drive, Chesterland, OH 44026 (US). MALCHESKY, Paul, S.; 239 Barrington Ridge, Paincsville Twp., OH 44077 (US). LIU, Chung-Chiun; 2919 E. Overlook Road, Cleveland Hts., OH 44118 (US).

- (74) Agent: KOCOVSKY, Thomas, E., Jr.: Fay, Sharpe, Fagan, Minnich & McKee, LLP, 7th Floor, 1100 Superior Avenue, Cleveland, OH 44115-2518 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH. GM. KE, LS, MW. MZ, SD, SL. SZ, TZ, UG. ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

With international search report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: ELECTROLYTIC SYNTHESIS OF PERACETIC ACID

(57) Abstract: An electrolysis unit (10, 210, 310) has an anode (16, 216, 316) and a gas diffusion cathode (18, 218, 318). Air is fed to the cathode (18, 218) to generate peroxide species, such as hydrogen peroxide, peroxide ions, or peroxide radicals by electrolysis of oxygenated water. A paracetic acid precursor, such as acetyl salicylic acid, reacts with the peroxide to form peracetic acid. An ion selective barrier (20, 220) optionally separates the unit into two chambers, an anodic chamber (12, 212) and a cathodic chamber (14, 214). By selecting either a proton permeable membrane or an anion exchange membrane for the barrier, the peracetic acid may be formed in either an alkaline electrolyte in the cathodic chamber or in an acid electrolyte in the anode chamber, respectively. In one preferred embodiment, a solution containing the peracetic acid generated is transported to a site where articles, such as medical instruments, are to be decontaminated. The oxidizing species are generated as required, avoiding the need to store hazardous decontaminants.

ELECTROLYTIC SYNTHESIS OF PERACETIC ACID

Background of the Invention

The present invention relates to the sterilization and disinfection arts. It finds particular application in conjunction with electrochemically produced solutions containing oxidizing agents, such as peracetic acid, for sterilization or disinfection of medical and pharmaceutical equipment, food products, and the like, and will be described with particular reference thereto. It should be appreciated, however, that the invention is also applicable to other sterilization, disinfection, and sanitization methods, including treatment of water, food service equipment, and the like and has applications in bleaching and in chemical synthesis.

Peracetic acid is a useful disinfectant or sterilant for a variety of applications. Peracetic acid has a number of uses, including disinfection of waste and sterilization of medical equipment, packaging containers, food processing equipment, and the like. It poses few disposal problems because it decomposes to compounds (i.e., acetic acid and oxygen) which are readily degraded in sewage treatment plants or by soil bacteria. It has a broad spectrum of activity against microorganisms, and is effective even at low temperatures.

Conventionally, peracetic acid concentrations are produced from solutions of acetic acid and hydrogen peroxide at acidic pH. The concentrated solutions are mixed with water and other chemicals to form a dilute solution. Items to be decontaminated, either by sterilization or

disinfection, are then immersed in the solution for a sufficient period to effect the required level of decontamination. The decontaminated items are then typically rinsed before use. To effective ensure 5 sterilization or disinfection within a preselected period of time, the concentration of peracetic acid is preferably at or above a minimum effective level, typically around 1000-2000 ppm for sterilization of medical instruments. peracetic acid concentration is at or above the minimum 10 effective level for sterilization, sterilization is expected in the time period for contact. Lower levels of peracetic acid are effective as disinfectants. Concentrations as low as 2-10 ppm, or less, have been shown to be effective for disinfection, which requires only the destruction of 15 pathogenic microorganisms.

While single use formulations of peracetic acid available, are in facilities where items sterilized or disinfected at frequent intervals throughout the day, the same batch of peracetic acid solution is often 20 used repeatedly. However, peracetic acid tends to decompose over time. For example, a disinfectant solution, which is above the minimum effective peracetic acid concentration for sterilization at the beginning of a day, frequently drops below the effective concentration without further additions 25 of the concentrated peracetic acid or precursors. ambient temperatures, the quantity of items sterilized or disinfected, and the degree of contamination of the items, all contribute to reducing the useful life of the batch. addition, storage conditions sometimes lead to degradation 30 of the peracetic acid precursors before use.

Moreover, the concentrated peracetic acid or precursors tend to be hazardous materials which sometimes pose shipment and storage problems. Because of the risks of storage and also the fact that they degrade over time, it is preferable to maintain a limited supply of the concentrate

or precursors and reorder them at frequent intervals.

Recently, the cleaning and decontamination properties of solutions formed by the electrolysis of water under special conditions have been explored. Electrolysis devices are known which receive a supply of water, such as tap water, commonly doped with a salt, and perform electrolysis on the water. During electrolysis, an anolyte solution is produced from the doped water at an anode and a catholyte solution is produced at a cathode. Examples of such water electrolysis units are as described in U.S. Patent Nos. 5,635,040; 5,628,888; 5,427,667; 5,334,383; 5,507,932; 5,560,816; and 5,622,848.

To create these anolyte and catholyte solutions, tap water, often with an added electrically or ionically 15 conducting agent, is passed through an electrolysis unit or The unit has an anodic chamber and a cathodic chamber, generally separated from each other by a partiallypermeable barrier. Conducting agents are often halogen salts, including the salts sodium chloride and potassium 20 chloride. An anode and a cathode contact the water flowing in the respective anodic and cathodic chambers. The anode and cathode are connected to a source of electrical potential to expose the water to an electrical field. The barrier may allow the transfer of selected electron carrying 25 species between the anode and the cathode but limits fluid movement between the anodic and cathodic chambers. The salt and minerals naturally present in and/or added to the water undergo oxidation in the anodic chamber and reduction in the cathodic chamber.

An anolyte resulting at the anode and a catholyte resulting at the cathode can be withdrawn from the electrolysis unit. The anolyte and catholyte may be used individually or as a combination. The anolyte has been found to have anti-microbial properties, including anti-viral properties. The catholyte has been found to have

-4-

- cleaning properties.
- However, electrochemically activated water is not without shortcomings. Electrochemically activated water has a high surface energy, which does not readily allow for 5 penetration of the electrochemically activated water into creviced areas of medical instruments. Thus, complete kill may not be achieved. Further problems have arisen on metal surfaces coming into contact with the electrochemically activated water, including the surfaces 10 decontamination equipment and metal medical devices. The electrochemically activated water is corrosive to certain metals. Stainless steel, used to produce many medical devices, is particularly susceptible to corrosion by electrochemically activated water.
- 15 Other chemicals also are amenable to electrochemical conversion. Khomutov, et al. ("Study of the Kinetics of Anodic Processes in Potassium Acetate," Izv. Vyssh. Uchebn. Zaved., Khim. Teknol. 31(11) pp. 71-74 (1988)) discloses a study of the conversion of acetate 20 solutions to peracetic acid and acetyl peroxide in the temperature range of -10°C to 20°C using a three-electrode The anode and cathode regions of the cell were cell. separated by a barrier of porous glass. Anodes of platinum, gold or carbon, at a high potential, typically 2-3.2 V 25 relative to a silver/silver chloride reference electrode, were used in the study. Potassium acetate concentrations were initially 2-10 mol/L. From conductivity and viscosity measurements, Khomutov, et al. estimated that peracetic acid solutions were generated at the anode with concentrations of 30 active oxygen of 0.1 gram equivalents/L. However, no direct measurements of peracetic acid concentration in the bulk solution were made. Moreover, the pH range of 8.2-10.4 disclosed by Khomutov, et al. is undesirable for many practical decontamination solutions. To reduce corrosion of 35 the metal components of the instruments to be

. degontaminated, a pH of close to neutral is desirable.

The present invention provides a new and improved system and method for generation of peracetic acid and other oxidizing agents which overcomes the above-referenced 5 problems and others.

Summary of the Invention

In accordance with one aspect of the present invention, a method for preparing an antimicrobial solution 10 containing peracetic acid is provided. The method includes electrolytically generating hydrogen peroxide or peroxide ions or radicals and reacting such species with an acetyl donor to form peracetic acid.

In accordance with another aspect of the present 15 invention, a method of antimicrobial decontamination items is provided. The method includes supplying an oxygen containing gas to a cathode of an electrolysis unit and forming peroxide species, such as peroxide ions, peroxide radicals, or hydrogen peroxide, in an electrolyte at the 20 cathode: The method further includes reacting the peroxide species with a peracetic acid precursor to form peracetic acid and transporting the electrolyte containing peracetic acid to a site at which the items are microbially decontaminated.

25

In accordance with another aspect of the present invention, a system for antimicrobial decontamination of items is provided. The system includes an electrolysis unit including an anode and a cathode. A source of an electrical potential applies a potential between the anode and the A source of an oxygen containing gas supplies oxygen to the cathode for forming peroxide species in an A source of a peracetic acid precursor electrolyte. supplies a peracetic acid precursor for reacting with the peroxide species to form a solution which includes peracetic 35 acid. A vessel receives items to be decontaminated and a

-6-

fluid supply line carries the solution containing peracetic acid from the electrolysis unit to the vessel.

One advantage of the present invention is that it enables peracetic acid solutions to be prepared in situ, as 5 required, or stored in small batches, until needed.

Another advantage of the present invention is that it enables antimicrobial solutions to be provided on line or in batch form, on demand.

Yet another advantage of the present invention is 10 that the peracetic acid concentration of a solution can be revived or increased by returning the solution to an electrolysis unit.

A further advantage of the present invention is that storage and shipment of concentrated and hazardous 15 sterilants or precursors may be avoided.

A yet further advantage of the present invention arising from the generation of peracetic acid on demand is that decomposition of peracetic acid during shipment and storage is avoided.

Another advantage of the present invention is that it enables the concentration of peracetic acid in a microbial decontamination system to be maintained during repeated use of the system.

Yet another advantage of the present invention is that concentrations of peracetic acid in the range of about 1000 to 2000 ppm can be prepared for sterilization or other applications without employing high concentrations of precursors.

Still further advantages of the present invention 30 will become apparent to those of ordinary skill in the art upon reading and understanding the following detailed description of the preferred embodiments.

Brief Description of the Drawings

-7-

and arrangements of components, and in various steps and arrangements of steps. The drawings are only for purposes of illustrating a preferred embodiment and are not to be construed as limiting the invention.

FIGURE 1 is a schematic diagram of a preferred embodiment of an electrolysis unit for generation of sterilizing and disinfecting solutions according to the present invention;

FIGURE 2 is a first alternative embodiment of an 10 electrolysis unit according to the present invention;

FIGURE 3 is a plumbing diagram of a sterilization or disinfection system including the electrolysis unit of FIGURE 1, a reagent cup receiving well, and a reagent cup;

FIGURE 4 is second alternative embodiment of an 15 electrolysis unit according to the present invention;

FIGURE 5 is a third alternative embodiment of an electrolysis unit according to the present invention;

FIGURE 6 is a plot of peracetic acid concentration versus time for five selected acetyl donors; and

FIGURE 7 is a plot of peracetic acid concentration versus time for various initial electrolyte starting pHs, using acetyl salicylic acid as an acetyl donor.

Detailed Description of the Preferred Embodiments

Peracetic acid is manufactured in situ, as needed, for a variety of applications, including decontamination of medical devices and treatment of food products. In a preferred embodiment, hydrogen peroxide is generated in an electrolysis unit by reduction of oxygen in water and then reacted with an acetyl donor, such as acetyl salicylic acid, to form peracetic acid.

With reference to FIGURE 1, an electrolysis unit or cell 10 generates oxidizing species for use as liquid sterilants and disinfectants, such as peracetic acid and/or 35 hydrogen peroxide and related shorter-lived oxidizing

The unit 10 includes two electrode chambers, , species. namely an anodic chamber 12 and a cathodic chamber 14. An electrode is disposed in each of the chambers. Specifically, an anode 16 forms a wall of the anodic chamber 5 and a cathode 18 forms a wall of the cathodic chamber. Other walls of the two chambers may be formed from materials which are compatible with peracetic acid, such as insulated steel, plexiglass, or other suitable material. Preferably, an ion selective barrier or membrane 20 separates the anodic 10 and cathodic chambers 12, 14 and controls the flow of dissolved species between them. In the embodiment of FIGURE 1, the barrier 20 is a cation exchange membrane, which permits the migration of protons (H' ions) between the chambers, but limits migration of anions between the two 15 chambers. The membrane also acts as a separation or barrier between electrolytes in the two chambers. Particularly preferred cation exchange membranes are sulfonic acid based membranes. Two such proton permeable membranes, NAFION™ 117 and NAFION $^{-}$ 450, are available from DuPont and Aldrich. 20 Alternatively, filter paper, such as Fisher brand P-5 filter

Optionally, the membrane is supported on a liquid permeable support wall 22, such as a wall of porous ceramic. The support wall provides a physical support for the membrane and permits the movement of liquids and ions to and from the membrane.

paper, is used for the membrane 20.

As will readily be appreciated, the cell 10 may be formed in a variety of configurations. For example, the cell 10' is optionally cylindrical, with the membrane 20' and support wall 22' forming a concentric cylinder, which separates the anodic chamber 12' from the cathodic chamber 14', as shown in FIGURE 2 (where like parts are identified with a prime ('). The anode 16' is in the form of a rod which is positioned in the center of the anodic chamber.

. The cathode 18' forms an exterior wall of the unit.

With reference once more to FIGURE 1, a source of electric potential 24 applies a negative potential to the cathode. The applied potential is selected to be high 5 enough for the reduction of oxygen at the cathode. A potential of around 3-30 volts, more preferably, 10-30 volts, relative to Ag/AgCl in 3M NaCl, is preferred for this purpose, with a particularly preferred potential of around 5V. Current densities of from 1 μ A/cm² to about 1 A/cm² are 10 suitable. In one embodiment, the potential is sufficient to provide a current flow of about 5 amps through a cathode of 50 cm² in area (100 mA/cm²).

The cathode chamber 14 is fed with a supply of oxygen, or an oxygen containing gas, such as air. Air is an effective source of oxygen for the present application. Preferably, as shown in FIGURE 1, the cathode 18 is a gas diffusion electrode which permits the flow of air or other oxygen containing gas therethrough. A compressor 26 supplies air under a slight positive pressure to an air chamber 28 adjacent an exterior surface 30 of the gas diffusion electrode 18. The air passes through pores 32 (shown schematically) in the gas diffusion cathode 18 to an air-liquid-solid interface 33 between the air and the liquid entering the cathode from the cathode chamber.

25 Excess air is released from the air chamber 28 through an air outlet 34. The outlet preferably includes a regulator valve 35 which controls the outflow of air through the air outlet. This allows the pressure of the air in the air chamber to be adjusted to a suitable level for 30 maintaining an air:liquid:solid interface within the body of the cathode 18.

An "alkaline" electrolyte 36 is supplied to the cathode chamber 14 through an inlet 38. The electrolyte carries charge through the cathode chamber. An "acidic"

: electrolyte 40, is fed to the anode chamber through an inlet · 42. • While the two electrolytes 36, 40 will be described herein as "alkaline" and "acidic," it is to be understood that these terms are used relatively, to indicate a pH 5 differential between the two electrolytes. The differential is preferably at least about 0.5, preferably, about 5 or higher. Thus, the "alkaline" electrolyte may be acid, (i.e., less than pH 7) or the "acid" electrolyte, alkaline (i.e., greater than pH 7). 10 all cases, however, the alkaline electrolyte in the cathode chamber 14 is always at a higher pH (i.e., is more basic) than the acid electrolyte in the anode chamber 12 and conversely, the acid electrolyte is always at a lower pH (i.e., more acidic) than the alkaline electrolyte. 15 embodiment of FIGURE 1, the alkaline electrolyte preferably has a pH of about 5-14, more preferably, a pH of 7-9, and most preferably 7-7.5, while the acid electrolyte preferably has a pH of from 0 to about 4, more preferably 0-3, the difference between the alkaline and acid pH preferably 20 providing a pH gradient of about 5-7, or more. The acidic electrolyte is thus one which is of sufficient strength to maintain a pH gradient across the membrane. A sulphuric acid solution at a concentration of about 5% is a suitable acidic electrolyte and has a pH of about 0.2.

The alkaline electrolyte includes a solution of electrolyte ions in water. The ions carry charge through the electrolyte. Suitable charge carrying ions are provided by salts of alkali and alkaline earth metals, such as phosphates, carbonates, silicates (such as zeolites), and sulfates of sodium and potassium, or other electrolyte materials. Bases, particularly, hydroxides, such as sodium hydroxide or potassium hydroxide, may also be used. Phosphates and silicates are particularly preferred electrolytes as these also provide buffering.

WO 01/10215

A buffering agent is preferably added (where not already present as the charge carrying ion) to the alkaline electrolyte to maintain the alkaline electrolyte at an appropriate pH for generating hydrogen peroxide (preferably, but pH 7-9). A combination of buffers and or other compounds may be used to adjust the pH. For example, acids, such as acetic acid or citric acid may be used to adjust the pH of the alkaline solution. The buffering agent/pH adjuster may also provide the ionic conductance of the electrolyte, as discussed above.

-11-

As shown in FIGURE 1, the alkaline electrolyte is delivered to the cathodic chamber inlet 38 from a reservoir or holding tank 50 by a pump 52, gravity feed, or other convenient delivery system. The buffering agent is preferably combined with other components of the electrolyte in the alkaline electrolyte reservoir 50. Alternatively, it is metered directly into the chamber from a separate reservoir (not shown). Obviously, the pump 52 and reservoir 50 could be eliminated if a batch process was desired.

A second pump 54 circulates the sulphuric acid solution, or other acidic electrolyte, through the anode chamber via the anode chamber inlet from a reservoir 56 of sulphuric acid solution. Peristaltic pumps are suitable pumps 52, 54.

25 The sulphuric acid is essentially unconsumed in the electrolysis process of the embodiment of FIGURE 1. It is preferably circulated continuously through the anode chamber. Specifically, the acid electrolyte is withdrawn from the anode chamber through an outlet 58, transported to the reservoir 56 through a return line 60, and then returned to the chamber 12. In this way, a constant flow of the acid electrolyte over the anode is maintained.

Alternatively, the acid electrolyte solution is not circulated into and out of the anode chamber 12 during

-12-

the electrolysis, but remains in the anode chamber.
Optionally, it is stirred in the anode chamber to maintain a flow of electrolyte over the anode. The acid electrolyte 40 may be reused for extended periods of continuous 5 peracetic acid generation or for the production of several batches of peracetic acid. Optionally, the acid electrolyte is introduced into the anode chamber 12 or the acid electrolyte reservoir 56 in the form of a sealed ampule 59, such as a plastic cup. The cup is opened by an opener 10 member 61 in the reservoir when a lid to the reservoir is closed. Optionally, water is added to the reservoir to dilute a concentration acid solution to form the acid electrolyte.

Optionally, a air outlet 62 for the cathode 15 chamber allows air which has bubbled through the electrolyte to leave the chamber. The air outlet may include a check valve or pressure relief valve 64, which opens when the chamber pressure reaches a preselected minimum pressure.

The oxygen is converted at the cathode 18 to 20 peroxide ions, generally as follows:

$$O_{2} + 2H_{2}O - 2HO_{2} + 2H'$$

or

25

or

$$O_2 + H_2O + 2e^- - HO_2^- + OH^-$$

Free radicals of peroxide may also be formed. The peroxide ions/radicals react with hydrogen ions or water to form hydrogen peroxide.

PCT/US00/21279 WO 01/10215

-13-

$$HO_{\Sigma}^{-} + H' \rightarrow H_{\Sigma}O_{\Sigma}$$

$$HO_{*}^{-} + H_{2}O_{*} - H_{3}O_{*} + OH_{*}^{-}$$

Protons (H') generated at the anode 16 are able to 5 pass through the membrane 20 into the cathode chamber 14 to take part in the reaction.

Temperatures of from about freezing to the boiling point of the electrolyte solution, more preferably about 10-10 60°C, most preferably, about 15-30°C, are suitable for the reactions taking place within the electrolysis unit 10. Accordingly, it is not necessary to heat the anode or Heat may be generated during the cathode chambers. reaction, causing the temperature to rise.

Solutions formed from the electrolyte solutions in 15 the anodic and cathodic chambers 12, 14 during electrolysis are referred to as the anolyte and catholyte, respectively. In the embodiment of FIGURE 1, for example, the catholyte comprises a solution of hydrogen peroxide and peroxide 20 ions/radicals (all are referred to herein as "peroxide species") with phosphate buffers. Other oxidizing species may also be present, such as peracetic acid, as will be discussed in greater detail below.

The anode 16 and cathode 18 preferably have large The anode is preferably a dimensionally 25 surface areas. Suitable materials for the anode 16 stable anode (DSA). but are not limited to, carbon (including include, graphite), platinum, iridium oxide, lead dioxide, palladium oxide, and ruthenium oxide. In the case of iridium oxide, 30 lead dioxide, palladium oxide, or ruthenium oxide, the oxide is preferably disposed on a substrate, such as a titanium wire mesh or other noble metal substrate, which supports the oxide and provides the anode with a large surface area. Other suitable anode materials include precious metal-doped

carbon or metal, such as precious metal-doped stainless steel, platinum, or palladium. Other materials suitable for forming the anode include silver, molybdenum, platinum, or cobalt on a nickel support material, which is in the form of a film sheet, screen, block, foam, or the like.

The cathode 18 is formed from any suitable electron acceptor, such as platinum, titanium, gold, or carbon (including graphite). Carbon, such as graphite, is particularly preferred for generation of hydrogen peroxide.

10 A suitable gas diffusion electrode 18 includes a substrate, formed from a sheet of a conductive material, such as gold or nickel, which has a mesh structure with fine pores for admitting the oxygen. A layer of carbon, or other electron acceptor, is coated on the substrate. The mesh provides support for the active material (carbon) of the cathode. Cathodes 18 comprising packed carbon beds, carbon frit, or open-celled porous or sintered materials coated with carbon may also be used. Other suitable cathode materials include platinum black, platinum/ruthenium on carbon black, platinum 20 on carbon black, and carbon black.

The pressure of the entering air keeps liquids from passing through the gas diffusion cathode 18 into the air chamber 28. Similarly, the pressure of the liquid within the cathode chamber tends to keep gas from passing 25 through the cathode into the cathode chamber 14. The liquid-gas-solid interface 33 within the cathode is where the oxygen reduction reaction primarily takes place. Some GDEs are provided with a hydrophobic membrane on the oxygen side and thus do not permit liquid passage through the 30 electrode.

Optionally, the anodic chamber is fluidly connected with a reference electrode 66, such as a silver/silver chloride electrode, to ensure that the selected applied potential is being maintained. The

-15-

reference electrode is preferably positioned as close to the anode as possible to eliminate the effects of solution resistance on the measured potential.

The catholyte contains hydrogen peroxide 5 peroxide ions/radicals generated in the cathode chamber. A peracetic acid precursor, such as an acetyl donor, reacted with the peroxide species in the catholyte solution to form peracetic acid. For example, the reaction proceeds as follows:

10

25

35

 $R - OOCCH_{c} + HO_{c}^{-} - CH_{c}COOOH$ acetyl donor peracetic acid

where R may be H, alkyl, aryl, alkali metal, such as 15 Na, K, or the like. The reaction between acetyl salicylic acid and H₂O₂ (or its precursor species), for example, results in the formation of salicylic acid and peracetic A single molecule of tetraacetyl ethylene diamine (TAED) produces two molecules of peracetic acid in reaction 20 with two molecules of H₂O₂. The catholyte may also include a variety of other both short lived and/or longer living oxidizing species, which react directly with the peracetic acid precursor or which participate in reaction paths which lead to the formation of peracetic acid from the precursor.

Suitable acetyl donors include, but are not limited to 0-acetyl donors $(-OC(0)CH_1)$, such as acetyl salicylic acid, sodium acetate, potassium acetate, acetic acid, acetaldehyde, (\propto and β)-D-glucose pentaacetate, cellulose (mono and tri) acetate, D-mannitol hexaacetate, 30 sucrose octaacetate, and acetic anhydride. N-acetate donors (-N-C(0)CH₁) may also be used, such as TAED, N-acetyl glycine, N-acetyl-DL-methionine, 6-acetamidohexanoic acid, N-acetyl-L-cysteine, 4-acetamidophenol, and N-acetyl-Lglutamine.

Acetyl salicylic acid, and β)-D-glucose (∝

acetic anhydride, and pentaacetate, TAED, sucrose octaacetate are particularly effective acetyl donors in this application. However, acetic anhydride is less favored for some applications because of its toxicity. Cellulose 5 acetates, α & β - D-glucose pentaacetates, and D-mannitol hexaacetate may pose solubility problems in some solutions. The maximum amount of peracetic acid which may be generated is limited, to some extent, by the solubility of the acetyl Thus, highly soluble acetyl donors are preferred 10 when relatively high peracetic acid concentrations (above about 1000 ppm) are desired. A particularly preferred acetyl donor is acetyl salicylic acid.

The peracetic acid precursor may be added before, during, or after formation of peroxide species. In one embodiment, shown in FIGURE 1, the peracetic acid precursor is added after formation of hydrogen peroxide and other species. Specifically, the catholyte containing hydrogen peroxide is withdrawn from the cathode chamber 14 through an outlet 72 to a holding chamber 74. A pump 76, connected with the outlet 72 is optionally used to pump the catholyte, or, sufficient pressure is supplied by pump 52 to carry the catholyte out of the chamber.

The peracetic acid precursor may be supplied in solid form or as a solution. In the embodiment of FIGURE 1, 25 the peracetic acid precursor is supplied to the holding chamber 74 from a reservoir 78 as a solution of the peracetic acid precursor in water. In one embodiment, hydrogen peroxide is held in the holding tank until peracetic acid is needed, and the acetyl donor is then added.

The preferred concentration of the precursor is dependent on the solubility of the precursor and on the desired concentration of the peracetic acid. In a preferred embodiment, the precursor is metered into the holding tank

in a stoichiometric amount, i.e., in a sufficient quantity such that all or substantially all of the precursor combines with the peroxide species. In the case of acetyl salicylic acid as the peracetic acid precursor, the acetyl salicylic acid reacts with the peroxide in a concentration ratio (by weight basis) of from about 5:1 to about 25:1.

Optionally, a sensor 80, positioned within the holding tank 74, or positioned in a fluid line 82 connecting the chamber outlet 72 with the holding tank, or at another the hydrogen peroxide location, detects 10 suitable The sensor 80 preferably signals a control concentration. system 84 which regulates the addition of the peracetic acid precursor by opening and closing a valve 86, or other suitable regulator, between the reservoir 78 and the holding 15 tank 74. Or, when the hydrogen peroxide level is above a maximum selected concentration, the sensor signals the electrolysis unit to switch off.

The system enables the concentration of peracetic acid to be selected within a wide range, of from about 0 to 20 35% peracetic acid. Concentrations of 10 to 3500 ppm are readily formed for sterilization and disinfection purposes. For example, catholyte solution with a hydrogen peroxide concentration of around 200-1000 ppm is readily obtained in under 5 minutes from the start of applying the potential. 25 Adding a peracetic acid precursor to the catholyte in a approximately amount (i.e., in an proportional stoichiometric amount) has been found to generate solutions concentrations suitable for peracetic acid at of sterilization or disinfection. For example, adding about 30 5g/L of acetyl salicylic acid solution to about a 400-700ppm hydrogen peroxide solution yields a peracetic acid solution of about 1800 ppm. However, above a maximum concentration, peracetic acid hydrogen peroxide the For example, concentration tends not to increase.

hydrogen peroxide concentration of 1000 ppm did not appreciably increase the peracetic acid concentration as compared with a 200 ppm hydrogen peroxide concentration.

The resulting peracetic acid solution may be diluted, as desired, to an appropriate concentration for the application in which it is to be used. Optionally, less than a stoichiometric amount of the peracetic acid precursor is used so that the resulting antimicrobial solution contains both peracetic acid and hydrogen peroxide as antimicrobial agents. The peracetic acid concentration of this solution can be increased or revived by subsequent additions(s) of acetyl salicylic acid, or other acetyl donor.

In an alternative embodiment, the peracetic acid 15 precursor, in either liquid or solid form, is mixed with the alkaline electrolyte, prior to electrolysis of oxygen, to form a solution of the alkaline electrolyte and the Specifically, the peracetic acid precursor is precursor. mixed with the alkaline electrolyte in the reservoir 50, or 20 supplied directly to the chamber through a second inlet 88. Because some acetyl donors, in particular, acetyl salicylic acid, tend to hydrolyze at high pH (typically above about pH 12) it is preferable, in this embodiment, to buffer the alkaline electrolyte to a pH of about 11 or below, more 25 preferably, about 9 or below, most preferably, around pH 7-Where the acetyl donor is combined with the alkaline electrolyte in the reservoir 50 and stored for a period of time, for example, it is desirable to buffer the combined solution within the reservoir to a pH of about 7-8. If the 30 acetyl donor is supplied to the cathode chamber separately from the alkaline electrolyte, the buffering agent may be added directly to the chamber 14 or supplied to the chamber mixed with the peracetic acid precursor. this embodiment, the peracetic acid precursor is available

to begin reacting with the peroxide species as soon as the peroxide is generated. However, the reaction between the peroxide and the precursor may continue to occur even after the catholyte has left the cathode chamber.

5

Other additives may be added to the catholyte solution, either before, during, or after generation of peracetic acid, to provide a suitable antimicrobial solution when combined with the peracetic acid and other oxidants present. These additives may include buffers, corrosion 10 inhibitors, surfactants, sequestrants, chelating agents, and the like. They may be added in liquid or solid form.

Phosphates of alkali metals are suitable buffers for all of the embodiments described herein. One preferred buffering system includes a combination of monosodium 15 phosphate, disodium phosphate, and tripolyphosphates. a buffering system also provides anticorrosion properties. Another preferred buffering system includes one or more potassium phosphates. Other suitable buffers include silicates, such as zeolites. The buffering system also 20 serves to buffer the resulting peracetic acid solution to a suitable pH for effective antimicrobial decontamination, as will be described in further detail herein. A single buffering system can be used for buffering the alkaline electrolyte during peroxide formation and then subsequently 25 used for buffering the antimicrobial solution.

Corrosion inhibiting and surface energy reducing additives are optionally introduced into the catholyte solution or to the resulting peracetic acid solution, either adding them to the alkaline electrolyte prior 30 electrolysis, or during, or subsequent thereto. additives, including, but not limited to, detergents, chelators and sequestering agents, may also be added to the solution, either in combination with the other additives, or separately.

35 The corrosion inhibitory agents are selected in

. accordance with the nature of the materials in the items being cleaned and/or decontaminated with the oxidizing species. Corrosion inhibitors which protect against corrosion of aluminum and steel, including stainless steel, 5 include phosphates, sulfates, chromates, dichromates, borates, molybdates, vanadates, and tungstates. Some aluminum additional corrosion 8 inhibitors include hydroxyquinoline and ortho-phenylphenol.

More specifically, phosphates are preferred for inhibiting stainless steel corrosion. Preferred phosphates include, but are not limited to, monosodium phosphate (MSP), disodium phosphate (DSP), sodium tripolyphosphate (TSP), sodium hexametaphosphate (HMP), and sodium sulfate either alone or in combination. Preferred borates include sodium 15 metaborate (NaBO,).

Copper and brass corrosion inhibitors include benzoates, azoles, such as triazoles, tolyltriazoles, dimercaptothiadiazoles, and other five-membered ring compounds. Particularly preferred copper and brass 20 corrosion inhibitors include sodium salts of benzotriazole and tolyltriazole which are preferred due to their stability presence of strong oxidizing compounds. Mercaptobenzothiazole can also be utilized but is apt to be oxidized or destabilized by strong oxidizers. Salicylic 25 acid is an example of an acceptable benzoate corrosion inhibitor.

In hard water, phosphate buffers and corrosion inhibitors tend to cause calcium and magnesium salts present in the hard water to precipitate and coat the instruments being decontaminated and/or cleaned and also leaves deposits on parts of the electrolysis system. In such cases, a sequestering agent appropriate to prevent precipitation, such as sodium hexametaphosphate (HMP), or trisodium nitrilotriacetic acid (NTA Na,) is preferably provided.

35 Because sodium hexametaphosphate is also a corrosion

inhibitor, it serves a dual purpose, both as a corrosion, inhibitor and as a sequestering agent. Other sequestering agents include sodium polyacrylates. Of course, if soft or deionized water is utilized, the sequestering agent may be eliminated. However, to ensure universal applicability with any water that might be utilized, the presence of a sequestering agent is preferred.

A surface energy reducing agent (surfactant)/ wetting agent is optionally added to the peracetic acid 10 solution to increase penetration into crevices of items being treated. This is particularly important when cleaning and decontaminating complex medical instruments, which may harbor microbial contaminants in crevices, joints, lumens. Surfactants include anionic, cationic, nonionic, and/or zwitterionic surfactants. 15 amphoteric, classes which are useful include anionic and nonionic surfactants or combinations thereof. Examples of nonionic surfactants usable in the present invention include fatty alcohol polyglycol ethers, nonylphenoxypoly (ethyleneoxy) 20 ethanol, and ethoxylated polyoxypropylene. examples include Genapol UD-50™, Igepal™, Fluowet™, and The surfactants set forth above may be used alone or in combination with each other.

Amounts of corrosion inhibitors and surfactants to 25 be added to the peracetic acid solution will vary depending upon the type of agent being added and whether or not one or more agents are added.

The inorganic corrosion inhibitors are preferably present in amounts ranging from about 0.01 to 20.0% weight 30 per volume (w/v). Organic corrosion inhibitors are preferably present in amounts ranging from about 0.01% to 5.0% w/v. Phosphates are effective at concentrations in the range of about 0.01% to about 11.0% w/v.

The surfactants are preferably present in amounts 35 ranging from about 0.0001% to about 5.0% w/v. More

-22-

preferably, the surfactant is present in amounts ranging from about 0.0001% to about 0.5% w/v.

The electrolysis unit 10 thus described is suited to batch or continuous supply processes. Dilute solutions of the oxidizing species generated, such as peracetic acid, are advantageously used as antimicrobial solutions for sterilization or disinfection, although the peracetic acid, and or other oxidizing species generated, is optionally used for other purposes. In one preferred embodiment, the unit is used for generating batches of peracetic acid solution which can be used immediately, for disinfecting or sterilizing items, or stored for later use.

In another embodiment, the unit 10 is used to produce a stream of peracetic acid solution. The peracetic acid is carried from the holding tank 74, where present, or directly from the cathode chamber, via a fluid line 89 to a decontamination system 90 or other site at which items to be microbially decontaminated are immersed in, sprayed with, or otherwise contacted with the peracetic acid solution. The peracetic acid solution may also be supplied to a vaporizer where it is converted to vapor phase peracetic acid.

This embodiment is suited to a variety of purposes, such as decontamination of equipment, including food processing, medical, and pharmaceutical equipment, for disinfecting packaging such as food containers, for removing Listeria and other bacteria from processed food, such as hot dogs and other cooked and uncooked meats and meat products, including whole carcasses, and for sterilizing waste and water. Other applications for the peracetic acid and other oxidants generated include bleaching and as a raw material for a variety of chemical synthesis processes.

In one particular embodiment, processed foods, such as hot dogs, are sprayed with a solution containing the peracetic acid while being transported along a conveyor

system.

Another embodiment includes the recirculation of or disinfectant solution containing the sterilant peracetic acid generated. A return line 92 carries the used 5 peracetic acid solution from a site 90 at which items are sterilized or disinfected, to the cathode chamber 14 of the The pump 50 or the pump 76 electrolysis unit 10. recirculates the decontaminant solution. Alternatively, the solution can be recirculated directly from reservoir 74 10 bypassing site 90 to maintain or enhance the concentration in the reservoir 74. The peracetic acid concentration of the solution is increased by generating further peroxide additional peracetic acid precursor. adding Alternatively, the peracetic acid precursor is 15 initially in excess so that further peracetic acid can be generated without addition of more precursor. Then the refreshed solution is returned to the site 90. The solution is preferably recirculated in this way until the desired peracetic acid concentration is achieved. Once the desired achieved, the recirculation may is 20 concentration continued intermittently to maintain the desired peracetic solution Alternatively, the acid concentration. recirculated continuously and the potential applied or the compressor 26 operated intermittently to maintain the 25 concentration.

A sensor 94 optionally detects the peracetic acid concentration. FIGURE 1 shows the sensor positioned in the return line 92 between the site 90 at which sterilization takes place and the electrolysis unit, although other suitable locations in the circulation path are also contemplated. The sensor signals the control system, which causes additional peracetic acid to be generated when the concentration is below a predetermined level. Other sensors for detecting hydrogen peroxide or other oxidizing species

WO 01/10215

PCT/US00/21279

may also be employed. The sensors may be disposable or reusable. A variety of sensors may be used for detection of peracetic acid, including electrochemical sensors which use amperometric detection systems.

With reference to FIGURE 3, one embodiment of a system for recirculating a peracetic acid decontaminant solution through a decontamination system includes the electrolysis unit 10 and a microbial decontamination apparatus A, which is configured to sit on a counter top or other convenient work surface. While the system is described herein with particular reference to peracetic acid, it should be appreciated that the solution may also contain other oxidizing species which act as antimicrobial agents, such as hydrogen peroxide.

15 A door or lid 100 of the apparatus A is manually openable to provide access to a tray 102 which defines a receiving region 104 for receiving items to be microbially decontaminated, such as medical devices. In the illustrated embodiment, the tray 102 is configured to receive devices, 20 such as endoscopes or other long, coilable items or to receive a cassette into which such items are preloaded. Other trays with item receiving regions of different configurations for receiving the items themselves or itemholding containers are also contemplated. A well 106 25 preferably receives a unit dose of reagents for forming a sterilant, disinfectant, or other microbial decontaminating solution. In one preferred embodiment, the dose of reagents includes a peracetic acid precursor, preferably in a solid form, such as acetyl salicylic acid, and a measured amount 30 of concentrated alkaline electrolyte (salts, buffers, etc.) sufficient to provide the desired concentration on addition Alternatively, the peracetic acid precursor, which may be liquid or solid, is added to the electrolysis unit from a vessel as described above, or introduced by

other suitable means.

A reagent containing package C, which contains the dose of reagents, is inserted into the well 106. Optionally, the peracetic acid precursor is contained separately from the other reagents within the cup. In one preferred embodiment, the cup has a first compartment 110, which holds the peracetic acid precursor, and a second compartment 112, which holds the concentrated alkaline electrolyte. Other reagents, such as buffers, corrosion inhibitors, may be contained in one or other of the two compartments 110, 112, or separately added to the well, for example, in a third compartment.

In another embodiment, the peracetic acid precursor, buffers, and other additives are all contained in 15 a single compartment cup C.

Once the items are loaded into the tray and the reagent carrying package C is inserted into the well, the lid 100 is closed and latched. A cup opener, such as a piston-operated cutter 114 is disposed at the bottom of the well 106. The cutter 114 cuts the base of the cup, or otherwise creates an opening in the cup, allowing the circulating water to dissolve or entrain the dose of reagents. Other dispensing systems are also contemplated.

In a preferred embodiment, the cutter 114 opens
the compartment 112, containing the concentrated alkaline electrolyte, buffers, corrosion inhibitors, surfactants, and the like. These are circulated through the system to provide corrosion inhibition and buffer the circulating solution to the desired pH. The potential is applied across the cell 10 and generation of peroxide species begins. Then, the cutter 114 opens the compartment 110 containing the acetyl salicylic acid which circulates through the system and reacts with the peroxide species. The water and reagents are circulated through the electrolysis unit until

a selected concentration of peracetic acid is reached.

Optionally, a fill valve 120 passes water through a microbe removing filter 122 in a fluid flow path 123 of a fluid circulating system. The microbe removing filter 122 5 blocks the passage of all particles of around 0.02μ or The incoming water, which has passed through the filter, is directed through a spray or distribution nozzle 124 and fills the item-receiving region 104 in the tray 102. As additional water is received, it flows into the well 106 10 dissolving solid reagents, or entraining liquid reagents, in the cup C, forming a solution. Filling is continued until all air is forced through an air system 126 and an entire interior volume is filled with the water. After the fill valve 120 is closed, a pump 128 circulates the fluid through 15 the item receiving region 104 of the tray, the well 106, the electrolysis unit 10, and, optionally, a heater 130. pump also forces the anti-microbial solution through the filter 122 to a check valve 132 decontaminating the filter. Further, the pump forces the anti-microbial solution through 20 another microbe filter 134 in the air system 126 to a check valve 136. The circulation is continued until sterilization or disinfection is achieved.

In yet another embodiment, the cup C includes an additional compartment which holds a cleaning agent, such as 25 a detergent concentrate. The cutter opens the detergent compartment and the detergent is mixed with water and is circulated through the system to clean the items prior to microbially decontaminating them. The detergent solution is preferably drained from the electrolysis unit and tray, and 30 the items rinsed with a rinse fluid, such as water, prior to addition of the peracetic acid forming components, buffers, surfactants, corrosion inhibitors, and the like.

A peracetic acid concentration sensor 138 optionally senses the concentration of peracetic acid in the

'decontamination apparatus A. In a preferred embodiment, the concentration sensor signals a control system 139 which controls the application of the potential across the anode 16 and cathode 18 or switches the potential off for a period 5 of time while the peracetic acid remains above a minimum acid preselected concentration. When the peracetic the minimum preselected concentration drops to concentration, or below, the voltage is applied to bring the peracetic acid concentration up to the desired level. 10 alternate embodiment, the concentration sensor controls the which direct flow, through and around the electrolysis unit 10 to control concentration the decontamination apparatus.

Alternatively or additionally, the control system 15 139 controls the further addition of the peracetic acid precursor.

In yet another embodiment, a sensor (not shown) detects hydrogen peroxide.

When decontamination is complete, a drain valve

140 in a drain line 142 is opened, allowing the solution to
drain from the system. Optionally, the drain line is
fluidly connected to the electrolysis unit for carrying the
used peracetic acid solution back to the unit for
destruction of oxidizing species. Air is drawn through the
microbe filter 134 such that sterile air replaces the fluid
within the system. Thereafter, the drain valve is closed
and the fill valve 120 is opened again to fill the system
with a sterile rinse fluid.

With reference now to FIGURE 4, another embodiment 30 of an electrolysis unit 210 is shown. The unit is similar to that of FIGURE 1, in that it includes two electrode chambers, namely an anodic chamber 212 and a cathodic chamber 214. An anode 216 forms a wall of the anodic chamber and a gas diffusion cathode 218 forms a wall of the

WO 01/10215

cathodic chamber. A barrier or membrane 220 connects the anodic and cathodic chambers 212, 214 and controls the flow of dissolved species between them. In this embodiment, however, the membrane is an anion exchange membrane, rather 5 than a proton permeable membrane. The membrane permits the migration of anions, including OH and HO2, between the chambers 212, 214, but limits mixing of other species, such as cations, between the two chambers. Suitable anion exchange membranes include ammonium ion membranes obtainable 10 from Tokayama Neosepta, Asahi Glass, Morgane, Pall, Sybron, Electrosynthesis Co., and others, such as AMH and Asahi Glass Model AMP, both obtainable from Electrosynthesis Co. Optionally, the membrane is supported on a liquid permeable support wall 222, such as a porous ceramic.

A source of electric potential 224 applies a 15 potential across the anode 216 and cathode 218. Α compressor 228 supplies air or pure oxygen to the gas diffusion electrode 218. The air enters the gas diffusion cathode 218 where it reacts with an alkaline electrolyte at 20 the liquid-gas-solid interface within the cathode. the case of the electrolysis unit of FIGURE 1, the applied potential causes the generation of peroxide ions (HO2") at the cathode 218 in an alkaline electrolyte 236. embodiment, the alkaline electrolyte includes an alkali, 25 such as sodium or potassium hydroxide, which is supplied to the cathode chamber through an inlet 238. A 0.1M to about 1M sodium hydroxide solution at a pH of 12-14 is preferably used, although more dilute solutions may also be used. alkaline electrolyte is thus highly basic and is maintained 30 at pH about 12-14 by the incoming alkali.

An acidic electrolyte 240 is fed to the anode chamber through an inlet 242. In this embodiment, the acidic electrolyte preferably contains a buffering system, such as described for the embodiment of FIGURE 1, which

buffers the pH of the acid electrolyte to a pH of around 5-9, more preferably, to a pH of about 7-8. (As noted earlier, the acid electrolyte may have a pH above 7, provided it is more acidic than the alkaline electrolyte.)

5 An acid, such as sulphuric acid, may also be added to the acid electrolyte to adjust the pH, if desired. As with the embodiment of FIGURE 1, the pH gradient between the cathode and anode chambers is preferably about 4-9, more preferably, about 5-7.

The sodium hydroxide solution (alkaline electrolyte) is delivered to the cathodic chamber inlet 238 from a reservoir 250 by a pump 252, or other convenient delivery system. A second pump 254 pumps the acid electrolyte to the anode chamber inlet 242 from a reservoir 15 256.

Suitable temperatures, electric charge, and other operating conditions for the electrolysis unit of FIGURE 4 are as for the embodiment of FIGURE 1, where not expressly stated otherwise.

The peroxide ions formed by reduction of oxygen at the cathode migrate through the anion exchange membrane 220 to the anode chamber 212. In the embodiment of FIGURE 4, a peracetic acid precursor is supplied to the anode chamber 212 (rather than to the cathode chamber as in the embodiment of FIGURE 1) where it reacts with the peroxide ions which have passed through the membrane 220. The peracetic acid precursor may be any of those previously listed and may be added directly to the anode chamber 212 from a precursor reservoir 258 or mixed with the acid electrolyte in the reservoir 256.

In this embodiment, it is the sodium hydroxide (alkaline electrolyte), which is essentially unconsumed in the electrolysis process. It is withdrawn from the anode chamber 212, through a return line 260 by pump 252 and

returned to the chamber 214. In this way, a constant flow of the alkaline electrolyte over the cathode is maintained. Or, the alkaline electrolyte may be stirred in the chamber 214. The antimicrobial solution containing the peracetic acid formed in the anode chamber is withdrawn from the anode chamber through an outlet 264 and carried by a fluid line 265 to a site 266 at which items are to be decontaminated, such as the unit A. The decontaminant solution may be recirculated through the anode chamber one or more times to increase the peracetic acid concentration. Further additions of the acetyl donor to the recirculating solution may be made from the reservoir 258, as desired.

As for the embodiment of FIGURE 1, additives, such as buffers, corrosion inhibitors, surfactants, and the like,

15 may be added, but in this embodiment they are added to the acid electrolyte, either directly to the anodic chamber 212, or to the peracetic acid solution after leaving the chamber. The additives may be added either prior to, during, or after generation of peracetic acid, in either liquid or solid form. In a preferred embodiment, the buffers are added to the reservoir 256 and buffer the acid electrolyte to a pH of about 5-9, more preferably, to a pH of about 7-8. In another embodiment, the buffers, etc., are added directly to the chamber, or mixed with the peracetic acid precursor in reservoir 258.

As will readily be appreciated, the electrolysis unit 210 may be employed in a similar decontamination system to that shown in FIGURE 3, although in this case, the solution circulating through the fluid flow paths, the tray 102, and the well 106, passes through the anode chamber 212 of the electrolysis unit 210, rather than the cathode chamber 214. A multi-compartment cup C may also be used in this embodiment, with the first compartment 112 holding a peracetic acid precursor and the second compartment 110

WO 01/10215

-31-

PCT/US00/21279

holding the acidic electrolyte. Buffers, corrosion inhibitors, surfactants, sequestering agents, and other additives are disposed in one or other of the compartments 110, 112 or separately added to the well 106.

With reference now to FIGURE 5, another embodiment of an electrolysis unit 310 is shown. The unit includes a single chamber 312. An anode 316 forms a first wall of the chamber and a gas diffusion cathode 318 forms a second wall of the chamber. Suitable anodes and cathodes are as previously described. As will be appreciated, no membrane is needed in this embodiment as only one electrolyte chamber 312 is employed.

A source of electric potential 324 applies a potential across the anode 316 and cathode 318. A 15 compressor 326 supplies air or pure oxygen to the gas diffusion electrode 318. The air enters the electrode and is reduced at the air:liquid:solid interface. As in the case of the electrolysis unit of FIGURE 1, the applied potential causes the generation of peroxide ions (HO₂) at 20 the cathode 318 in an electrolyte 336. The peroxide and hydrogen peroxide formed react with a peracetic acid precursor to form peracetic acid. The peracetic acid precursor is preferably one of those previously listed.

In this embodiment, the electrolyte includes a charge carrying species, such as a phosphate, carbonate, or silicate, which may also act as a buffer. Acids or bases may also be added to adjust the pH. A peracetic acid precursor, preferably selected from those previously listed, such as acetyl salicylic acid, is added to the electrolyte prior to, during, or after hydrogen peroxide generation.

The electrolyte containing the acetyl salicylic acid, or other peracetic acid precursor, preferably has a pH of between about 2 and about 14, more preferably from about 5-9, and most preferably about 7-8. At high pH, generation

of peracetic acid occurs rapidly, but the peracetic acid tends to break down fairly rapidly also. Additionally, where acetyl salicylic acid is the peracetic acid precursor, it tends to decompose rapidly at a pH over about 12, 5 rendering it ineffective as an acetyl donor. At low pH, peracetic acid generation is much slower, but decomposition of peracetic acid is also slower. Thus, the preferred pH is partly dependent on the desired rate of peracetic acid and also on the desired lifetime of the generation, 10 peracetic acid generated, and on the deterioration time for the acetyl donor at the selected pH. For some applications, it may be desirable to generate the peracetic acid quickly and then buffer the resultant solution with a buffer, once outside the electrolysis unit.

The electrolyte is supplied to the chamber through an inlet 338 from a reservoir 350 by a pump 352, or other convenient means. Suitable temperatures, electric charge, and other operating conditions for the electrolysis unit of FIGURE 5 are as for the embodiment of FIGURE 1, where not 20 expressly stated otherwise.

15

The peroxide ions formed by reduction of oxygen at the cathode 318 react with the peracetic acid precursor. The peracetic acid precursor may be added directly to the anode chamber from a separate precursor reservoir 353 or 25 mixed with the electrolyte in the reservoir 350.

In a preferred embodiment, a two compartment cup C holds buffers, and other additives, such as corrosion inhibitors, sequestrants, and surfactants in compartment 354 and a peracetic acid precursor, such as 30 acetyl salicylic acid, in a second compartment 356. discussed for the embodiment of FIGURE 3, a cleaning step may also be used in the embodiments of FIGURES 4 and 5 by adding an additional compartment to the cup C, which holds a concentrated cleaner.) A cup cutter 358, or other 35 suitable cup-opening member, sequentially opens the first

-33-

and second compartments, releasing the buffers and other 'additives, then the peracetic acid precursor, into the reservoir. A supply of water delivers fresh water to the reservoir through a water inlet line 360. The water mixes 5 with the peracetic acid precursor and other additives to form a solution which is pumped by the pump 352 to the chamber 312. Alternatively, corrosion inhibitors, and other additives are added to the electrolyte after formation of peracetic acid.

antimicrobial solution 10 The containing the peracetic acid formed in the chamber is withdrawn from the chamber through an outlet 364 and carried by a fluid line 365 to a site 366 at which items are to be decontaminated (such as the tray 102 of FIGURE 3). The decontaminant 15 solution may be recirculated through the chamber one or more times to increase the peracetic acid concentration. shown in FIGURE 5, a return fluid line 368 carries the used peracetic acid solution back to the chamber 312 from the site 366. Further additions of the acetyl donor to the 20 recirculating solution may be made from the reservoir 350, by opening a valve 370 in the inlet line between the reservoir and the chamber 312, as desired. Alternatively, additional precursor may be added from the reservoir 353, such as by pumping a metered amount of an 25 aqueous solution of the precursor from the separate reservoir to the chamber.

In another embodiment, at least a portion of the circulating peracetic acid is recirculated through This helps to ensure that all of the reservoir 350. 30 materials in the cup C are washed out of the reservoir 350 and carried to the chamber 312.

In yet another embodiment, the buffers, etc., are added directly to the chamber, or added to the peracetic acid in the supply line 365.

WO 01/10215

Peracetic acid concentration is measured by a sensor 372 placed in contact with the peracetic acid flowing through the fluid lines. The sensor signals a control system 378 which operates valve 370 to add more peracetic acid precursor from reservoir 350 (or from the separate reservoir 353), as needed, to bring the peracetic acid concentration up to a desired level.

As will readily be appreciated, the electrolysis unit 310 may be employed in a similar decontamination system 10 to that shown in FIGURE 3, although in this case, the solution circulating through the fluid flow paths, the tray 102, and the well 106, passes through the single chamber 312 of the electrolysis unit 310, rather than through an anode or a cathode chamber.

15 In several applications, it is desirable maintain the peracetic acid at or slightly above a minimum level for extended periods. For example, in the spray treatment of food containers or food stuffs, such as precooked hotdogs, or in other treatment processes where a 20 conveyor system is used to transport items to be sterilized through the antimicrobial spray, it is desirable for the sprayed antimicrobial solution to be recirculated and reused for extended periods, such as hours or even days. Even in relatively short term antimicrobial processes, which are 25 effected in an hour or less, such as the sterilization of medical instruments, the presence of bodily fluids or other contaminants may degrade the peracetic acid such that it is desirable to replenish the peracetic acid concentration during the process. The peracetic acid solution can be 30 maintained at the preselected level in a number of ways.

In one method, the acetyl salicylic acid, or other precursor, is added to the appropriate electrolyte (the alkaline electrolyte in the embodiment of FIGURE 1, the acid electrolyte in the embodiment of FIGURE 4, the single 35 electrolyte in the embodiment of FIGURE 5) in excess.

Hydrogen peroxide is generated in a sufficient amount to react with a portion of the acetyl salicylic acid and bring the peracetic acid concentration up to the desired level. Then the potential (and/or the supply of oxygen) is switched off. When the peracetic acid becomes depleted, the potential is reapplied (or the supply of oxygen switched on) and more peroxide is generated. This combines with some of the residual acetyl salicylic acid to form peracetic acid.

In a second method, additional acetyl salicylic 10 acid is added to the recirculating peracetic acid solution as needed. In this method, the potential may be applied to the electrolysis unit continuously or intermittently.

In a third method, decomposition products of peracetic acid (such as acetic acid) act as peracetic acid 15 precursors which are reconverted to peracetic acid in the electrolysis unit by reaction with peroxide species.

In a fourth method, peracetic acid is generated at higher concentration than is need and diluted on its way to the site. The concentration can be maintained by further additions of the concentrated peracetic acid solution, as needed.

The peracetic acid solution may be stored in a vessel for later use (batch process), generated on demand to provide a continuous or intermittent flow of solution, or recirculated through the system to increase the peracetic acid concentration, either with or without passing the solution through a site at which items are to be decontaminated.

The peracetic acid generated has a wide variety of 30 applications. Table 1 lists exemplary applications, and the preferred concentration of peracetic acid for these applications.

TABLE 1

	·			
	APPLICATION	PREFERRED PERACETIC ACID CONCENTRATION		
	Production of germ free animals	1% of 1 ml		
	Food equipment decontamination	50-1000 ppm		
5	Beverage and brewing	250-1000 ppm		
	Dairy industries	120-300 ppm		
	Road tankers and animal transport containers	150-500 ppm		
	Circuit water in cooling systems and processing plants	10-400 ppm		
10	Piping and membrane filters and water treatment for biofilm reduction	21-340 ppm		
	Disinfect exchange resin columns for water supplies and chromatography	1500 ppm		
15	Sludge and effluent in municipal sewage plants	5-500 ppm		
	Water treatment	2-10 ppm		
	Treatment of processed food products	500-4000 ppm		

While not intended to limit the invention, the 20 following examples are illustrative of the methods of preparing the antimicrobial solutions containing one or more oxidizing agents.

EXAMPLES

25 EXAMPLE 1

Generation of Peracetic Acid in the Cathodic Chamber.

An alkaline electrolyte for the catholyte was prepared by dissolving 50 g/L Na₂HPO₄ and 5 g/L acetyl salicylic acid in 2 liters of deionized water. An acid 30 electrolyte for the anolyte was prepared by diluting 100 mL of concentrated sulphuric acid in 2 liters of deionized water to form a 5% H₂SO₄ solution. An electrolysis unit of the type shown in FIGURE 1 was used. The cathode was a gas diffusion electrode formed from gold coated with carbon. A DSA anode was used. The membrane was a NAFION 450 cation exchange membrane. Peristaltic pumps were used to pump the

PCT/US00/21279

WO 01/10215

-37-

two electrolytes from reservoirs to the respective cathode and anode chambers at a flow rate of about 15 mL/min. current of 5 amps (current density 100 mA/cm²) and voltage of about 10 volts was applied to the cell. A compressor 5 supplied air to the cathode. The anolyte was recirculated through the reservoir and anode chamber. The catholyte was withdrawn continuously from the cathode chamber collected in sample containers. The catholyte was analyzed with indicator strips at intervals over a period of 45 10 minutes.

peracetic Within 30 seconds, а concentration of 10-20 ppm was obtained. After 10 minutes, the peracetic acid concentration was about 1500 ppm and the hydrogen peroxide concentration was about 1000 ppm. 15 concentrations of peracetic acid and hydrogen peroxide remained at these levels throughout the 45 minute test.

EXAMPLE 2 Generation of Peracetic Acid in the Cathodic Chamber.

The method of Example 1 was used with a variety of 20 different membranes, anode materials, starting pHs, and so The different conditions evaluated are listed in Table 2.

25 TABLE 2 ELECTROCHEMICAL GENERATION OF PAA IN THE CATHODIC CHAMBER

30

35

EXPERIMENTS		·		
Electrolytes	1) Catholyte	CH3COOK, CH3COONA, Na2HPO4 & ASA		
	2) Anolyte	5% H ₂ SO ₄		
Membrane		NAFIONTM 450 (Cationic)		
Current Density Voltage		100 mA/cm ² 10 - 30 V		
Cathode Starting pH		GDE:C on Au, C on Ni 4 -13		

Temperature	20 - 63°C
Fluid Conditions	Flow ~17 ml/min (single pass)
Gas for GED	Air, 99.9% oxygen

5 The acetyl donors used in the examples were obtained from Aldrich Chemical, with the exception of TAED (Fluke Chemical).

Table 3 lists exemplary tests for which significant levels of peracetic acid were obtained and 10 provides the peracetic acid levels generated (see Experiment 1). As shown in Table 3, which also lists experiments with an anion exchange membrane and no membrane, several of the acetyl donors were capable of providing peracetic acid in concentration suited to disinfection or sterilization. When 15 a NAFION™ 450 cation exchange membrane was used, the peracetic acid was generated in the catholyte.

TABLE 3

ELECTROCHEMICAL GENERATION OF PAA BY CATHODIC SYNTHESIS

20 OF H₂O₂, EXEMPLARY TESTS AND PERACETIC ACID LEVELS GENERATED

	Experiment	Catholyte	Membrane	Anolyte	PAA Generated (PPM)
	1.	Na ₂ HPO ₄ + ASA (5g/L)	NAFION™ 450	5% H ₂ SO ₄	~500
	2.	NaOH	Neosepta	Na ₂ HPO ₄ + ASA	939
25	3. $Na_2HPO_4 + ASA$ (10g/L)		None	Same as Catholyte	737
:	4.	NaOH + ASA* (10g/L)	None	Same as Catholyte	2385
	5.	NaOH + TAED*	None	Same as Catholyte	~766
	6.	NaOH + Citric Acid + Acetic Anhydride	None	Same as Catholyte	101
	7.	NaOH + α -D-Glucose-pentaacetate*	None	Same as Catholyte	-757
30	8.	NaOH + β-D-Glucose pentaacetate*	None	Same as Catholyte	~562

•	9.	Na.HPO4 + citric acid + Sucrose	None	Same as catholyte	-500
		octaacetate**			

- \star = 0-20ml CH₃COOH added to adjust pH
- ** = 3g/L citric acid added to adjust pH

Peracetic acid was generated in all electrolytes where ASA was present, except those electrolytes with a pH of greater than 12. It is likely at high pH that the ASA was degraded to salicylic acid and acetic acid, rather than forming peracetic acid.

It was found that increasing the concentration of hydrogen peroxide did not significantly increase the peracetic acid concentrations. For example, the same level of peracetic acid was generated for hydrogen peroxide concentrations between 200 and 1000 ppm. No difference was found in peracetic acid concentration by using 99.9% oxygen as opposed to air. The temperature was found to have no effect on the peracetic acid generation, in the experimental range 20° to 63°C. A starting pH of between 5 and 11 was found to produce the best results. pHs above 11 caused ASA to hydrolyze rapidly.

EXAMPLE 3

WO 01/10215

Generation of Peracetic Acid in the Anodic Chamber

Studies were made of the generation of peracetic acid in the anode chamber using an electrolysis unit similar to that shown in FIGURE 3. The conditions used were the same as shown in Table 2, except that an anionic membrane (Tokuyama Neosepta) was used in all experiments, the catholyte was strongly basic, e.g., sodium hydroxide, and the acetyl donor and buffers were added to the anolyte, rather than to the catholyte. Since an anion exchange membrane was used, the peracetic acid was generated in the anolyte solution.

Table 3, Experiment 3, demonstrates the generation of peracetic acid at a concentration of 939 ppm when ASA was

used as the acetyl donor.

EXAMPLE 4

Generation of Peracetic Acid in a Single-Chamber Cell

5 An electrolyte was prepared by dissolving 50 g/L Na,HPO, and 5g/L acetyl salicylic acid in 2 liters of deionized water to form a solution having a pH of 7.7. electrolysis unit of the type shown in FIGURE 5 was used (a 50 cm² electrolyzer obtained from Eltech). The same unit was 10 also used for EXAMPLES 5-7. The cathode was a gas diffusion electrode formed from gold coated with carbon. A DSA anode A peristaltic pump was used to pump the was used. electrolyte from the reservoir to the chamber at a flow rate of about 17 mL/min. A current of 5 amps (current density 15 100 mA/cm²) and voltage of about 10 volts was applied to the A compressor supplied air to the cathode. electrolyte leaving the chamber was analyzed for peracetic acid with indicator strips, at intervals.

Within 10 minutes, the peracetic acid 20 concentration was between 1000 and 2000 ppm and the hydrogen peroxide concentration was between 1000 and 2500 ppm.

EXAMPLE 5

Generation of Peracetic Acid in a Single-Chamber Cell

The procedures of Example 4 were used with a variety of different electrolyte solutions (see Experiments 4-10, Table 3). Peracetic acid was generated in significant quantities in the single electrolyte when using no membrane. The highest peracetic acid concentrations (1700 - 2385 ppm), were obtained using sodium hydroxide and acetyl salicylic acid (pH 5 to 11).

EXAMPLE 6

Rate of Peracetic Acid Generation with Various Acetyl Donors

Time studies were carried out to determine the

rate at which acetyl donors were capable of generating peracetic acid. A 50 cm² Eltech electrolyzer with no membrane or barrier was used for the tests with an electrolyte flow rate of about 17 mL/min and a current 5 density of 100 mA/cm². A carbon on Ni mesh gas diffusion electrode was used as the cathode with an iridium oxide on titanium dimensionally stable anode. Both electrodes were obtained from Eltech corp. Table 4 shows the other experimental conditions used for six acetyl donors, TAED, α -10 D-Glucose pentaacetate (α -D-GPA), β -D-Glucose pentaacetate $(\beta-D-GPA)$, acetic anhydride, sucrose octaacetate (SOA) and acetyl salicylic acid (ASA). FIGURE 6 shows the generation of peracetic acid over time for each acetyl donor. acetic acid was used to adjust the pH for the following 15 donors TAED, β -D-GPA, and ASA. Citric acid was used to adjust the pH of SOA. For α -D-GPA, a packet of the acetyl donor was contained within the cell.

WO 01/10215 PCT/US00/21279

-42-

TABLE 4 ELECTROCHEMICAL GENERATION OF PAA BY CATHODIC SYNTHESIS OF $\rm H_2O_2$, CONDITIONS USED FOR SIX ACETYL DONORS

5	Acetyl Donor	Electrolyte	pH adjuster	Maximum PAA Generated (PPM)	Voltage	Temp.
	TAED (10g/L)	NaOH (6g/L)	glacial acetic acid (8 mL/L)	766	16.0- 9.96	22.2- 31.6
	α-D-GPA (4.3 g/L)	NaOH (6g/L)	glacial acetic acid (8 mL/L)	757	29.0- 12.29	21.5- 55.7
10	β-D-GPA (10 g/L)	NaOH (6g/L)	glacial acetic acid (8 mL/L)	. 562	17.7- 10.05	21.1- 44.4
	acetic anhydride (25 mL/L)	NaOH (6g/L)	citric acid (10 g/L)	101	11.7- 10.68	24.3- 49.9
15	ASA (10 g/L)	NaOH (6g/L)	glacial acetic acid (9 mL/L)	2385	18.5-	20.8- 46.7
	SOA (5 g/L)	Na ₂ HPO ₄	citric acid (3 g/L)	498	12.95- 10.20	40.8- 60.7

20

As can be seen from FIGURE 6, acetyl salicylic acid generated peracetic acid rapidly, reaching a peak after about 20 minutes. In contrast, the peracetic acid concentration continued to rise for about 70 minutes when α -25 D-GPA was used.

EXAMPLE 7

Effect of pH on Rate of Peracetic Acid Generation by Acetyl Salicylic Acid

30

Experiments were carried out using different starting pHs to study the effect on peracetic acid generation with acetyl salicylic acid. A 50 cm² Eltech electrolyzer with no membrane or barrier was used for the tests with an electrolyte flow rate of about 17 mL/min and a current density of 100 mA/cm². A carbon on Ni mesh gas diffusion electrode was used as the cathode with an iridium oxide on titanium dimensionally stable anode. Both electrodes were

obtained from Eltech Corp. In each case 10 g/L ASA was used as the acetyl donor in the electrolyte, which also included 6 g/L NaOH. Glacial acetic acid, in varying amounts was used to adjust the pH to the initial starting pH. TABLE 5 lists other experimental details for each experiment. FIGURE 7 shows the effect of pH on peracetic acid concentration over time. For samples using high initial pH, the pH dropped over time. The lower pH electrolytes showed little or no drop in pH over time. For ASA, the highest levels of peracetic acid were generated in pH range of pH 10 to pH 11. However, above pH 11, the rapid hydrolyzation of ASA resulted in much lower peracetic acid concentrations.

TABLE 5 15 ELECTROCHEMICAL GENERATION OF PAA BY CATHODIC SYNTHESIS OF $\rm H_2O_2$ WITH ASA AT DIFFERENT STARTING phs

	Starting pH	pH adjuster	Maximum PAA Generated (PPM)	Voltage Range	Temp. Range (°C)
	10.94	acetic acid (4.5 mL/L)	2385	18.5- 10.14	20.8-46.7
20	10.87	acetic acid (4.5 mL/L)	2281	18.3-10.26	21.1-44.4
	5.0	acetic acid (8.3 mL/L)	1792	17.8-10.6	21.8-43.1
	6.78	acetic acid (5 mL/L)	1661	17.86-10.77	25.0-47.9
	4.81	acetic acid (8.35 mL/L)	1796	20.0-11.13	20.8-44.4
25	4.8	acetic acid (8.4 mL/L)	1758	18.5-10.6	21.2-43.3
	11.4	acetic acid (3.75 mL/L)	1259	21.70-10.88	22.1-42.6
	11.14	acetic acid (4.25 mL/L)	945	20.5-10.91	21.2-43.7
	11.9	acetic acid (2.5 mL/L)	759	18.6-10.56	22.5-44.7
30	12.44	none	84	13.36-9.30	21.1-45.8
	12.4	none	0	12.2-9.6	22.9-37.7

WO 01/10215 PCT/US00/21279

Having thus described the preferred embodiment, the invention is now claimed to be:

- 1. A method for preparing an antimicrobial solution containing peracetic acid comprising electrolytically generating hydrogen peroxide, peroxide ions, or peroxide radicals, the method characterized by:
- reacting the hydrogen peroxide, peroxide ions, or peroxide radicals with an acetyl donor to form peracetic acid.
 - 2. The method of claim 1, further characterized by:
 the step of electrolytically generating hydrogen
 peroxide, peroxide ions, or peroxide radicals being carried
 out at a cathode (18, 218, 318) of an electrolysis unit (10,
 210, 310), the electrolysis unit further including an anode
 (16, 216, 316).
 - 3. The method of claim 2, further characterized by: the step of electrolytically generating hydrogen peroxide or peroxide including electrolysis of oxygenated water.
 - 4. The method of claim 3, further characterized by: the cathode (18, 218, 318) being a gas diffusion electrode; and

the electrolysis of oxygenated water including feeding 5 an oxygen containing gas to the cathode, the cathode being in contact with an electrolyte which includes water.

- 5. The method of claim 4, further characterized by: the electrolyte including a charge carrying species.
- 6. The method of claim 5, further characterized by: the charge carrying species being selected from the

WO 01/10215

5

group consisting of acids, alkali and alkaline earth metal phosphates, carbonates, silicates, sulfates, hydroxides, and combinations thereof.

7. The method of any one of preceding claims 3-6, further characterized by:

the cathode (18, 218) being separated from the anode (16, 216) by a membrane (20, 220) which separates the unit into an anode chamber (12, 212) and a cathode chamber (14, 214), the membrane including one of a cation exchange membrane and an anion exchange membrane.

- 8. The method of claim 7, further characterized by:
 the membrane (20) including a cation exchange
 membrane, the step of electrolytically generating hydrogen
 peroxide, peroxide ions, or peroxide radicals including:
 - generating hydrogen ions in an electrolyte in the anode chamber (12), and

providing a pH differential across the membrane which drives the hydrogen ions to the cathode chamber (14).

- 9. The method of claim 8, further characterized by: the pH differential being at least about 0.5.
- 10. The method of either one of preceding claims 8 and 9, further characterized by:

the step of reacting the hydrogen peroxide, peroxide ions, or peroxide radicals with an acetyl donor including:

introducing the acetyl donor to the cathode chamber (14).

11. The method of claim 7, further characterized by: the membrane (220) including an anion exchange membrane, the step of electrolytically generating hydrogen peroxide including:

generating hydrogen ions in an electrolyte in the anode chamber (212); and

providing a pH differential across the membrane which drives peroxide ions to the anode chamber.

- 12. The method of claim 11, further characterized by: the pH differential being at least about 0.5.
- 13. The method of either one of claims 11 and 12, further characterized by:

the step of reacting the hydrogen peroxide, peroxide ions, or peroxide radicals with an acetyl donor including:

introducing the acetyl donor to the anode chamber (212).

14. The method of any one of preceding claims 1-13, further characterized by:

the acetyl donor being selected from the group consisting of acetyl salicylic acid, TAED, acetic anhydride, 5 cellulose acetates, \propto and β -D-glucose pentaacetates, D-mannitol hexaacetate, sucrose octaacetate, and combinations thereof.

- 15. The method of claim 14, further characterized by: the acetyl donor including acetyl salicylic acid.
- 16. The method of any one of preceding claims 1-15, further characterized by:

the oxygen containing gas being air.

17. A method of antimicrobial decontamination of items comprising supplying an oxygen containing gas to a cathode (18, 218, 318) of an electrolysis unit (10, 210, 310) and

WO 01/10215 PCT/US00/21279

-47-

reacting oxygen in the gas to form peroxide species in an selectrolyte at the cathode, the method being characterized by:

reacting the peroxide species with a peracetic acid precursor to form peracetic acid; and

transporting the electrolyte containing peracetic acid 10 to a site (90, 102, 266, 366,) at which the items are microbially decontaminated.

- 18. The method of claim 17, further characterized by: recirculating the electrolyte from the site (90, 102, 266, 366,) to the electrolysis unit (10, 210, 310) to increase the peracetic acid concentration.
- 19. The method of either one of preceding claims 17 and 18, further characterized by:

adjusting the pH of the electrolyte to about 5-9.

20. The method of any one of preceding claims 17-19, further characterized by:

adding at least one additive to the electrolyte, the additive being selected from the group consisting of surfactants, corrosion inhibitors, buffering agents, and chelating agents.

21. The method of any one of preceding claims 17-19, further characterized by:

monitoring the electrolyte for at least one of:
 hydrogen peroxide concentration, and
 peracetic acid concentration.

5

22. The method of claim 21, further characterized by:
in response to the electrolyte being below a
selected minimum hydrogen peroxide or peracetic acid
concentration, controlling at least one of:

5 application of an electric current to the electrolysis unit (10, 210, 310),

addition of peracetic acid precursor to the electrolyte, and

a supply of oxygen containing gas to the cathode.


- 23. A system for antimicrobial decontamination of items comprising an electrolysis unit (10, 210, 310) including an anode (16, 216, 316), a cathode (18, 218, 318), and a source (24, 224, 324) of an electrical potential which applies a potential between the anode and the cathode, and a source (26, 226, 326) of an oxygen containing gas which supplies oxygen to the cathode for forming peroxide species in an electrolyte, the system characterized by:
- a source of a peracetic acid precursor (36, 78, 88, 10 256, 258, 336, 353), which supplies a peracetic acid precursor for reacting with the peroxide species to form a solution which includes peracetic acid;
 - a vessel (90, 102, 266, 366,) for receiving items to be decontaminated; and
- a fluid supply line (89, 123, 265, 365) which carries the solution containing peracetic acid from the electrolysis unit to the vessel.
- 24. The system of claim 23, further characterized by:
 a storage reservoir (74) connected with the supply line
 and the vessel, the storage reservoir storing solution
 containing peracetic acid until items are to be
 5 decontaminated.
 - 25. The system of either one of preceding claims 23 and 24, further characterized by:

a return line (92, 267, 368) which returns electrolyte depleted of peracetic acid to the electrolysis unit for

- 5 regeneration of peracetic acid.
 - 26. The system of any one of preceding claims 23 25, further characterized by:

the electrolysis unit further including:

- a membrane (20, 220) which separates the
- anode from the cathode, the membrane being one of:
 - a cation permeable membrane; and an anion permeable membrane.








Fig. 2










Fig. 5





SHRSTITHTE SHEET (DIN E 26)

INTERNATIONAL SEARCH REPORT

Intern sal Application No PCT/US 00/21279

A. CLASS	IFICATION OF SUBJECT MATTER				
IPC 7	A01N37/16 A61L2/03 A61L2/	/18 C07C409/26	C25B3/00		
According	o International Patent Classification (IPC) or to both national clas	all and			
	SEARCHED	silication and IPC			
	ocumentation searched (classification system followed by classification sy				
IPC 7	A01N A61L C25B C07C	ication symbols)			
	tion searched other than minimum documentation to the extent th				
	lata base consulted during the international search (name of data	a base and, where practical, search te	rms used)		
EPO-In	ternal, WPI Data				
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT				
Category *	Citation of document, with indication, where appropriate, of the	relevant nassanas	Palauatta dalar M		
<u> </u>			Relevant to daim No.		
Х	CA 2 214 957 A (MOHINI M S ET A 5 May 1999 (1999-05-05) claims example 5	L)	1,14		
Х,Р	WO 99 39753 A (STERIS CORP ;LIU CHIUN (US); MERK TOM L (US); MA PAUL) 12 August 1999 (1999-08-1 claims page 8, line 11 - line 33	1			
A	WO 99 08719 A (STERIS CORP) 25 February 1999 (1999-02-25) claims 9,12		1-26		
		-/			
X Furth	er documents are listed in the continuation of box C.	Patent family members ar	e listed in annex.		
*Special categories of cited documents: 'A' document defining the general state of the art which is not considered to be of particular relevance 'E' earlier document but published on or after the international filing date 'L' document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) 'O' document referring to an oral disclosure, use, exhibition or other means 'P' document published prior to the international filing date but later than the priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention cannot be considered novel or cannot be considered to cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. '&' document published after the international filling date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. '&' document member of the same patent family					
Date of the a	ctual completion of the international search	Date of mailing of the internation			
20	November 2000	27/11/2000			
Name and m	ailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2	Authorized officer			
	NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl. Fax: (+31-70) 340-3016	Decorte, D			

INTERNATIONAL SEARCH REPORT

Intern .1al Application No PCT/US 00/21279

C.(Continue	ition) DOCUMENTS CONSIDERED TO BE RELEVANT	101/03 00/212/9
Category •	Citation of document, with indication, where appropriate, of the relevant passages	Pologod to store the
110. h	appropriate, or the relevant passages	Relevant to claim No.
A •	US 5 770 033 A (HITCHENS G DUNCAN ET AL) 23 June 1998 (1998-06-23) claim 1 column 12, line 62 -column 13, line 6 column 24	1-26
Α	EP 0 395 296 A (STERIS CORP) 31 October 1990 (1990-10-31) claims 1-4	1,14,15
		·

INTERNATIONAL SEARCH REPORT

information on patent family members

Intern .1al Application No PCT/US 00/21279

							,
	atent document d in search report		Publication date		Patent family member(s)		Publication date
CA	2214957	Α		NONE		, , , , , , , , , , , , , , , , , , , 	
WO	9939753	Α	12-08-1999	AU	248949		23-08-1999
				EP	105120	00 A	15-11-2000
WO	9908719	Α	25-02-1999	US	593217		03-08-1999
				AU	901809		08-03-1999
				CN	127053		18-10-2000
				EP	100356	2 A 	31-05-2000
US	5770033	Α	23-06-1998	US	546070		24-10-1995
				US	563503		03-06-1997
				US	599697		07-12-1999
				US 	591650)5 A	29-06-1999
EP	0395296	Α	31-10-1990	US	511657	'5 A	26-05-1992
				AT	10786	3 T	15-07-1994
				CA	201112	24 A,C	24-10-1990
				DE	6901026		04-08-1994
				DE	6901026		01-12-1994
				DK	39529		31-10-1994
				ES	205738		16-10-1994
				HK	18369		11-10-1996
				JP	176617		11-06-1993
				JP	229556		06-12-1990
				JP	405571		04-09-1992
				US	539136		21-02-1995
				US	537439		20-12-1994
				US	540768		18-04-1995
				US	535056		27-09-1994
				US	555211	5 A	03-09-1996

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS	
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES	
FADED TEXT OR DRAWING	
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING	
☐ SKEWED/SLANTED IMAGES	
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS	
☐ GRAY SCALE DOCUMENTS	
☐ LINES OR MARKS ON ORIGINAL DOCUMENT	
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY	
□ OTHER:	_

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.